




APPLICATION EXAMPLES

For soil cultivation and maintenance



Hard flooring • Wooden floors •
Stone floors • Carpeted floors



Application examples for the Soil cultivation and maintenance

Pages 4-7

Sanding and cleaning pads

Pages 8-10

Grinding and cleaning machines

Page 12

studded floors

Featured pads: Abranopp® cleaning pads



Page 14

rubber flooring

Featured pads: Microfiber pad grey, Abraflex® Superpad red, Jöst Diamond® Pads



Page 16

Linoleum floors

Featured pads: Blue Wave, Abraflex® Maroon Pad, Jöst Diamond® Pads and Abraflex® Superpad red



Page 18

PVC/vinyl flooring without texture

Featured pads: Blue Wave, Abraflex® Maroon Pad, Jöst Diamond® Pads, useit®-Abrafilm®



Page 20

Textured PVC/vinyl flooring

Featured pads: Microfiber pad grey, Wimbledon grass pad, Blue Magic



Page 22

Epoxy resin floors

Featured pads: Wimbledon grass pad, Blue Wave melamine pad, Jöst Diamond® Pads, Abraflex® Maroon Pad



Page 24

Mineral floor coverings

Application examples: Mineral floor coverings such as marble, terrazzo, concrete. Featured pads: Microfiber pad grey, Blue Wave, Jöst Diamond® Pads



Page 26

Tiles without texture

Featured pads: Microfiber pad grey, Blue Wave, Abraflex® Maroon Pad



Page 28

Structured tile and stone floors

Application examples: Terrace decking for indoor and outdoor use. Featured pads: Microfiber pad grey, Wimbledon grass pad



Page 30

parquet and plank floors

Featured pads: Microfiber pad grey, Abraflex® Maroon Pad, useit® Superpad yellow, useit®-Abrafilm®



Page 32

Stainless steel, glass, ceramic

Featured pads: Crusty® cleaning products



Page 34

Textile floor coverings/upholstery

Featured pads: Microfiber pad blue/melange





Sanding and cleaning pads

Functional solutions for diverse requirements



ABRANOPP® CLEANING PADS

Specifically designed for structured floor coverings, the unique design solves the problems associated with their cleaning and maintenance. Especially in the deeper zones of textured surfaces, Abranopp® cleaning pads enable thorough deep cleaning of hard floors. The pads can be adapted to different cleaning requirements in terms of nub size and shape, as well as the abrasive particles used, and optimized for cleaning textured floors.

Available dimensions: 190x340mm 335x485mm Ø 150		Ø 160	Ø 200	Ø 230	Ø 250	Ø 280	Ø 300	
	335x585mm Ø 330	Ø 375	Ø 410	Ø 430	Ø 460	Ø 485	Ø 500	Ø 530

Other dimensions available on request



MICROFIBER PADS

These high-quality microfiber cleaning pads – made in Germany – deliver outstanding cleaning results at an unbeatable price-performance ratio. When used with the Floor Sander or Floor Sander Junior, they provide intensive surface treatment, achieving a very high level of cleaning power. A wide variety of materials can often be cleaned with just water – no chemicals required.

Each of the four different pads has its own strengths.

Available dimensions: 190x340mm 335x485mm Ø 150		Ø 160	Ø 200	Ø 230	Ø 250	Ø 280	Ø 300	
	335x605mm Ø 330	Ø 375	Ø 410	Ø 430	Ø 460	Ø 485	Ø 500	Ø 530

Other dimensions available on request

ABRAFLEX® MAROON PAD

The chemical-free solution for the partial or complete removal of floor coatings. Abraflex® can be used to remove coatings from almost any surface.

Maroon Pad can be easily removed without chemicals - just with water. This pad is ideal for preparing worn, sealed, and painted areas, such as gymnasiums, for a new sealant layer. The robust pad can be used both wet and dry.

It can be used dry. Due to its stable construction, the pad has a longer lifespan and ensures excellent machine stability.



Available dimensions: 190x340mm 335x485mm Ø 150		Ø 160	Ø 200	Ø 230	Ø 250	Ø 280	Ø 300	
	335x585mm Ø 330	Ø 375	Ø 410	Ø 430	Ø 460	Ø 485	Ø 500	Ø 530

Other dimensions available on request

BLUE WAVE MELAMINE PADS

The new Blue Wave pad has been optimized and is made of 100% melamine. The pad has been hardened using a special manufacturing process, resulting in even greater durability and improved machine stability. It allows for the effortless removal of stubborn dirt from smooth and hard surfaces – completely chemical-free, using only water. The pad is versatile and can be used in handheld format with Jöst eccentric floor polishers or single-disc machines.



Available dimensions: 190x340mm 335x485mm Ø 150		Ø 160	Ø 200	Ø 230	Ø 250	Ø 280	Ø 300	
	335x585mm Ø 330	Ø 375	Ø 410	Ø 430	Ø 460	Ø 485	Ø 500	Ø 530

Other dimensions available on request

ABRAFLEX® SUPERPADS

Whether for deep cleaning or routine maintenance - the Jöst Abraflex® Superpads are available in a variety of hardnesses and sizes. Their high grain content and even application enable faster cleaning results and a significantly longer service life. With Jöst Superpads, you demonstrably save time, material costs, and chemicals! They also offer a long-lasting,

Longer lifespan, improved performance, and excellent machine stability. We use only raw materials sourced from Germany for our Jöst Superpads.



Available dimensions: 190x340mm 335x485mm Ø 150		Ø 160	Ø 200	Ø 230	Ø 250	Ø 280	Ø 300	
	335x585mm Ø 330	Ø 375	Ø 410	Ø 430	Ø 460	Ø 485	Ø 500	Ø 530

Other dimensions available on request



JÖST DIAMOND® PADS

These pads are ideal for cleaning and maintaining hard floors and resilient floor coverings. Depending on your needs, your floors can be refinished, cleaned, and/or polished. They allow not only for chemical-free removal of coatings and scratches, but also for top stripping without the use of additional chemicals.

Matte stone surfaces regain their shine. Step 7 and 8 ensure a special brilliance and enable environmentally friendly maintenance cleaning without cleaning agents.

Available dimensions:	190x340mm	335x485mm	Ø 150	Ø 160	Ø 200	Ø 230	Ø 250	Ø 280	Ø 300		
	335x585mm		Ø 330	Ø 375	Ø 410	Ø 430	Ø 460	Ø 485	Ø 500	Ø 530	

Other dimensions available on request



WIMBLEDON LAWN PAD

The special combination of robust synthetic fiber and

The Jöst Wimbledon Pad's outstanding workmanship makes it truly unique among artificial turf pads. Jöst's proven hook-and-loop backing provides the pad with just the right amount of grip and simultaneously acts as a water reservoir. This allows water to be absorbed and then released again thanks to the special X-structure of the working surface. The extremely robust yet flexible bristles are ideal for cleaning textured surfaces and even restore the shine to deep grout lines.

Available dimensions:	190x340mm	335x485mm	Ø 150	Ø 160	Ø 200	Ø 230	Ø 250			Ø 280	Ø 300
	355x605mm		Ø 330	Ø 375	Ø 410	Ø 430	Ø 460	Ø 485		Ø 500	Ø 530

Other dimensions available on request



BLUE MAGIC DUST TAKING FLEECE

Thanks to its special coating, it is ideally suited for picking up dust and loose dirt. In combination with a floor mop, it is the perfect partner for dusting and cleaning parquet and hard floor coverings.

Dust can be removed effectively and effortlessly. These oil-free dust-binding cloths are available in various sizes and are the perfect solution for dry cleaning – whether for hand wiping, as tear-off roll material, or for floor mopping – Blue Magic dust-binding cloths leave no chance for dust!

Available dimensions:	roll goods	roll goods	roll goods	roll goods	
	150mm x 10m	150mm x 25m	115mm x 10m	115mm x 25m	210x150mm
		400x120mm	450x150mm	600x200mm	800x200mm

Other dimensions available on request

USEIT®-ABRAFILM®

The useit®-Abrafilm® has excellent cutting properties and is extremely durable and tear-resistant.

Equipped with a film carrier. Thanks to the stearate coating and the unique design, clogging of the grinding wheel is effectively prevented. With useit®-Abrafilm®, grinding work is

From coarse grinding with 40 grit to the finest surfaces with 3000 grit, this tool is suitable for a wide range of applications. Equipped with an extremely durable zirconium or ceramic grain, it can even handle the most stubborn surfaces. Suitable for dry grinding and wet cleaning.



Available dimensions:	190x340mm	335x485mm	Ø 150			Ø 160	Ø 200	Ø 230	Ø 250	Ø 280	Ø 300		
		335x585mm	Ø 330			Ø 375	Ø 410	Ø 430	Ø 460	Ø 485	Ø 500	Ø 530	

Other dimensions available on request

USEIT® SUPERPAD YELLOW

Thanks to the robust backing paper, the semi-open dispersion and the special Velcro coating, the useit®-

Superpad P yellow is ideal for use on parquet floors and wood surfaces. Its dense multi-hole perforation and backing optimize dust removal in machines with dust extraction and prevent clogging in machines without. This results in a longer service life and improved surface quality. Depending on the wood species, grain sizes can be increased from P40 to P120, reducing working time and costs.



Available dimensions:	190x340mm,	335x485mm,	Ø 150			Ø 160	Ø 200	Ø 230	Ø 250	Ø 280	Ø 300		
		335x585mm	Ø 330			Ø 375	Ø 410	Ø 430	Ø 460	Ø 485	Ø 500	Ø 530	

Other dimensions available on request

USEIT® SUPERFINISHING PADS

The useit® Superfinishing Pads SG, SG2, and SG3 are innovative, high-performance abrasives designed for a wide range of materials, including solid surface materials, fiberglass, paints, and metals. They offer up to six times the abrasive power of conventional abrasives and enable dust-free operation thanks to effective dust extraction. The SG2 pad is particularly suitable for final sanding of filler and the removal of paint runs, while the SG3 pad allows for significant savings in polishing processes. All pads conform well to curves and curved surfaces and are suitable for both wet and dry sanding.



Available dimensions:	190x340mm,	335x485mm,	Ø 150			Ø 160	Ø 200	Ø 230	Ø 250	Ø 280	Ø 300		
		335x585mm	Ø 330			Ø 375	Ø 410	Ø 430	Ø 460	Ø 485	Ø 500	Ø 530	

Other dimensions available on request



Grinding and cleaning machines

The right machine for every requirement

FLOOR CLEANER JUNIOR 18

Battery-powered eccentric polisher

Power consumption:	300 watts
Engine speed:	2800-3000 rpm
Work surface:	190x340mm
Battery life: (depending on floor surface and pads)	45-60 min.
Water tank capacity:	3 l
Weight:	17.5 kg
Weight heavy:	20 kg
Hub:	5 mm
Hose connection:	27 mm
Installation height:	14cm
Weight of 18V battery:	1 kg
Battery voltage:	18V



45 minutes
Battery autonomy



user-friendly



Working width
190 x 340 mm



Only 14 cm
Installation height



Fast charging:
80% in 20 minutes



Work until
into the corners



FLOOR CLEANER JUNIOR

Eccentric machine

Power consumption:	350 watts
Engine speed:	2800 rpm
Work surface:	190x340mm
Connection voltage:	230 V
Mains voltage frequency:	50 Hz
Weight:	22-27 kg
Additional weight: (not included in the scope of delivery)	5 kg
Hub:	5 mm
Hose connection:	27 mm
Water tank capacity:	3 l



Work right into
the corners



user-friendly



Working width
190 x 340 mm



Suitable for wet and
dry sanding



With integrated
Water tank 3 l



Perfect for the
Staircase renovation

FLOOR SANDER JUNIOR

Eccentric machine


Power consumption:	350 watts
Engine speed:	2800 rpm
Work surface:	190x340mm
Connection voltage:	230 V
Mains voltage frequency:	50 Hz
Weight:	21-26 kg
Additional weight: (not included in the scope of delivery)	5 kg
Hub:	5 mm
Hose connection:	27 mm



Work until
the corners



user-friendly



Working width
190 x 340 mm



Suitable for wet and
dry sanding



Ideal for structured
Surfaces



Perfect for the
Staircase renovation

FLOOR SANDER

Eccentric machine

Power consumption:	1500 watts
Vacuum cleaner:	1000 watts
Engine speed:	2800 rpm
Work surface:	335x485mm
Connection voltage:	230 V
Weight:	57-83 kg
Mains voltage frequency:	50 Hz
Hub:	7 mm
Additional weight per: (4 additional weights included. Upgradeable to up to 6 weights)	6.5 kg



Work right into
the corners



user-friendly



Working width
335x485 mm



Ergonomic
adjustable



Ideal for structured
Surfaces



Variables
Machine weight

FLOOR SANDER MULTI

Eccentric machine


Power consumption:	1500 watts
Vacuum cleaner:	1000 watts
Engine speed:	2800 rpm
Work surface:	335x485mm
Connection voltage:	230 V
Water tank capacity:	10 l
Weight:	57-83 kg
Hub:	7 mm
Additional weight per: (4 additional weights included. Upgradeable to up to 6 weights)	6.5 kg



Work right into
the corners



user-friendly



Working width
335x485 mm



All-in-one for sanding
and cleaning



Ideal for structured
Surfaces



Variables
Machine weight

Suction lip not included in the scope of delivery

Studded floors


Application and pad recommendations for studded floors:



Abranopp® white
Polishing studded floors




Abranopp® green
Cleaning heavily soiled floors with
Water, removal of coatings with primer



Abranopp® grey
Cleaning heavily soiled floors with
Water




Abranopp® black
Removal of hard and multi-layered coatings
with
Basic cleaner < pH value 10



Abranopp® purple
Cleaning lightly to moderately
soiled floors with water as well as
Routine cleaning



Application video
Cleaning a studded floor with our
Abranopp® Pad grey



RUBBER FLOORS

Application and pad recommendations for rubber floors:





Microfiber pad grey
Intensive cleaning with water only



Diamond® Pads
Removal of coatings with water.
Refurbishment of worn-out floors.



Abraflex® Superpad Red
Routine cleaning



Linoleum floors

Application and pad recommendations for linoleum floors:



Blue Wave
Intensive cleaning with water only



Abraflex® Superpad red
Routine cleaning



Abraflex® Maroon Pad
Coatings can be removed with water or dry (via extraction).



Application video
Coating removal with our Abraflex® Maroon Pad



Diamond® Pads
Removal of coatings with water



PVC/VINYL FLOORING WITHOUT STRUCTURE

Application and pad recommendations for PVC or vinyl floors without structure:



Blue Wave melamine pad
Intensive cleaning with water only




Diamond® Pads
Removal of coatings with water



Abraflex® Maroon Pad
Coatings can be removed with water or dry (via extraction).



useit®-Abrafilm® Z-40, Z-120
Removal of heavier scratches: dry via vacuuming or with water



PVC/VINYL FLOORING WITH STRUCTURE

Application and pad recommendations for textured PVC or vinyl floors:



Microfiber pad grey
Machine intensive cleaning




Blue Magic Dust Binding Fleece
Routine cleaning reduces wet cleaning intervals and re-soiling, saving approximately 30-40% of working time.



Wimbledon grass pad
Machine intensive cleaning



Application video
Cleaning a vinyl floor with our Microfiber pad grey



"It doesn't always have to be wet!"

Martin Lutz, FIGR
Blue Magic dust-binding fleece, with its special coating, is ideally suited for trapping dust, loose dirt, and hair. Dry cleaning offers the advantage, for example in healthcare settings, of directly binding germs. On-site disposal significantly minimizes the risk of germ transmission.

Do you want figures, data, and facts?

Learn more about the Dry cleaning system with our Blue Magic



EPOXY RESIN FLOOR

Application and pad recommendations for epoxy resin floors:



Wimbledon grass pad
Intensive cleaning with water only



Blue Wave melamine pad
Intensive cleaning with water only




Application video
Edge structures & adhesives
Contamination on epoxy flooring



Diamond® Pads
Removal of smears only with Water



Abraflex® Maroon Pad
Removal of smears only with Water



MINERAL FLOOR COVERINGS

Application and pad recommendations for mineral floor coverings such as Marble, terrazzo or concrete:



Microfiber pad grey
Intensive cleaning with water only



Diamond® Pads
for restoring worn floors. Maintaining cleanliness and shine during routine cleaning.




Blue Wave melamine pad
Intensive cleaning with water only



TILE/STONE FLOORS WITHOUT STRUCTURE

Application and pad recommendations for tiles and stone floors without structure:



Microfiber pad grey
Intensive cleaning with water





Abraflex® Maroon Pad
Limescale removal with water



Blue Wave melamine pad
Intensive cleaning with water




Application video
Terrace cleaning



TILES/STONE FLOORS WITH STRUCTURE

Application and pad recommendations for structured tiles and stone floors as well as decking boards in indoor and outdoor areas:





Microfiber pad grey
Machine intensive cleaning with water



Wimbledon grass pad
Machine intensive cleaning with water



Application video
Cleaning an outdoor terrace with our microfiber pad



PARQUET T-AND Plank Floors

Application and pad recommendations for parquet and plank floors:




Microfiber pad grey
Clean with water (wring out well)



useit®-Abrafilm® Z-40, Z-80 and Z-120
Sanding of sealed floors, dry via dust extraction






Abraflex® Maroon Pad
Cleaning and grinding: dry via extraction or with water via spray process



useit® Superpad P unperforated K-24
Depending on the requirements, Superpad P can also be used. K-24 will be started



useit® Superpad P yellow
Sanding oiled floors




STAINLESS STEEL, GL AS, CERAMICS


Application and pad recommendations for sensitive surfaces:

*Do not apply to plastic or acrylic glass

 **Crusty® Sponge**
Intensive cleaning and limescale removal using only water

 **Crusty® Pad incl. Velcro fastener**
Intensive cleaning and limescale removal using only water


 **Crusty® Pad incl. microfiber glove:** Intensive cleaning and limescale removal with water only.

 **Crusty® Pad incl. CLINI holder:** Intensive cleaning and limescale removal with water only.



TEXTILES FLOOR COVERINGS

Application and pad recommendations for textile floor coverings or upholstery:



microfiber pad blue/melange
Intensive cleaning with water



Microfiber blue/melange round pad. Easily cleans sofas, carpets, or armchairs. The included hook-and-loop fastener makes the pad compatible with all cordless drills on the market.

